



UNIVERSITY OF CALIFORNIA
MERCED



Annual Housing Fire Safety Report 2016

**The Annual Fire Safety Report is published by the University of California, Merced
Fire and Building Safety**

Printed copies of the 2016 Annual Housing Fire Safety Report are available upon request and available for viewing by contacting the office listed below.

University of California Merced
Fire and Building Safety
Gini Krippner
Fire Marshal/Building Official
5200 North Lake Road Merced, CA 95343
C: (209) 217-7231
E: gkrippner@ucmerced.edu

Electronic copies can be viewed at:

<http://police.ucmerced.edu/safety-information/clery-act-statistics-publications>

Note: The cover is an architectural rendition of one of the UC Merced Project 2020 Student Housing Buildings.

Fire and Building Safety

5200 N Lake Road, Merced, CA 95343

Table of Contents

HIGHER EDUCATION OPPORTUNITY ACT	1
Introduction	1
Overview	1
HIGHER EDUCATION OPPORTUNITY ACT ANNUAL FIRE SAFETY REPORT	2
Summary of Fire Department/EH&S Reporting Requirements	2
I. DEFINITION OF TERMS.....	2
A. Cause of Fire.....	2
B. Fire	2
C. Fire Drill.....	2
D. Fire Related Injury.....	2
E. Fire Related Death.....	2
F. Fire Safety Systems	2
G. Value of Property Damage	2
H. In Building Notification.....	2
I. Wide Area Mass Notification System	3
J. Area of Refuge	3
II. ADDITIONAL TERMS.....	3
A. On Campus Student Housing Facility.....	3
III. POLICIES.....	3
A. Safety Policies	3
Use of Electrical Appliances	3
Smoking	4
Open Flames	4
Fire Safety	5
IV. FIRE EVACUATION PROCEDURE.....	6
V. FIRE SAFETY EDUCATION AND TRAINING	8
VI. FIRE SAFETY SYSTEMS	8
VII. DRILLS	10
VIII. REPORTING LIST.....	10
VIII. FUTURE IMPROVEMENTS	10
IX. STATISTICS	10
X. FIRE LOG	11
XI. DISCLOSURE OF INFORMATION	11
Fire Log	11
Fire Statistics Report	11
Annual Safety Report	11
Access to Annual Security Report	12

HIGHER EDUCATION OPPORTUNITY ACT

HIGHER EDUCATION OPPORTUNITY ACT

The Higher Education Opportunity Act (HEOA) requires that certain information pertaining to the Fire Safety in Student Housing Buildings of current or perspective students and employees be reported on and readily available for viewing by any interested party.

Introduction

Fire Safety is an essential tool in protecting a campus community from injuries, deaths, business interruption, and property damage resulting from fires and related perils. Fire Safety includes education, training, and policies designed to ensure that all students, staff and faculty are aware of and understand the elements that help to ensure the safety of all.

In an effort to standardize the information that an institution publishes in regards to their own fire safety, the Department of Education developed a new law called the Higher Education Opportunity Act (HEOA). HEOA is intended to ensure a reasonable and consistent notification of fire related incidents on University of California, Merced administered housing units.

Overview

In August of 2008, the Department of Education passed a law (Public Law 110-315) stating that all Title IV eligible institutions that participate in any Title IV program and that maintain on-campus student housing facilities publish an annual fire safety report, maintain a fire log, and report fire statistics to the Secretary of Education. Starting October 2010, the report must be publicly disclosed.

Summary of the Department of Fire and Building Safety Reporting Requirements

The Higher Education Opportunity Act (HEOA) (Code Reference DOE 34 CFR 600, 668, 675 Final Rule) requires that certain information pertaining to the Fire Safety in UC administered housing units of current or perspective students and employees be reported on and readily available for viewing by any interested party.

I. DEFINITION OF TERMS §668.49(a)

CAUSE OF FIRE:

The factor or factors that give rise to a fire. The causal factor may be, but is not limited to, the result of an intentional or unintentional action, mechanical failure, or act of nature.

FIRE:

Any instance of open flame or other burning in a place not intended to contain the burning or in an uncontrolled manner.

FIRE DRILL:

A supervised practice of a mandatory evacuation of a building for a fire.

FIRE-RELATED INJURY:

Any instance in which a person is injured as a result of a fire, including an injury sustained from a natural or accidental cause, while involved in fire control, attempting rescue, or escaping from the dangers of the fire. The term “person” may include students, employees, visitors, firefighters, or any other individuals.

FIRE-RELATED DEATH:

Any instance in which a person is killed as a result of a fire, including death resulting from a natural or accidental cause while involved in fire control, attempting rescue, or escaping from the dangers of a fire; or dies within one year of injuries sustained as a result of the fire.

FIRE SAFETY SYSTEM:

Any mechanism or system related to the detection of a fire, the warning resulting from a fire, or the control of a fire. This may include sprinkler systems or other fire extinguishing systems, fire detection devices, stand-alone smoke alarms, devices that alert one to the presence of a fire, such as horns, bells, or strobe lights; smoke-control and reduction mechanisms; and fire doors and walls that reduce the spread of a fire.

VALUE OF PROPERTY DAMAGE:

The estimated value of the loss of the structure and contents, in terms of the cost of replacement in like kind and quantity. This estimate should include contents damaged by fire, and related damages caused by smoke, water and overhaul; however, it does not include indirect loss, such as business interruption.

IN-BUILDING MASS NOTIFICATION SYSTEM:

A system used to provide information and instructions to people in a building(s) or other space using intelligible voice communication and including visible signals, text, graphics, tactile, or other communication methods (NFPA 72 2013).

HIGHER EDUCATION OPPORTUNITY ACT ANNUAL FIRE SAFETY REPORT

WIDE-AREA MASS NOTIFICATION SYSTEM:

Wide-Area Mass Notification Systems are generally installed to provide real-time information to outdoor areas and could have the capability to communicate with other notification systems provided for campus, military base, municipality, or similar single or multiple contiguous areas. (NFPA 72 2013).

AREA OF REFUGE:

An area where persons unable to use stairways can remain temporarily to await instructions or assistance during emergency evacuation (2007 California Building Code).

II. ADDITIONAL TERM

ON-CAMPUS STUDENT HOUSING FACILITY:

Regulatory Language §668.41(a):

A dormitory or other residential facility for students that is located on an institution's campus, as defined in §668.46(a).

UC Fire Marshal Interpretation:

The HOEA applies to all residential facilities owned or controlled by an institution within the same reasonably contiguous geographic area including privately operated residential housing, provided the building is owned by the University or on the main campus. If the residential housing facility is privately operated, not owned by the University and not located on the main campus then the facility is **NOT** included in this report. If the residential housing facility is privately operated, not owned by the University but located on the land owned by the Regents of the University of California, and contiguous to the main campus, then the facility is included.

This report only contains data on UC Merced residential housing buildings located on the main campus at 5200 N. Lake Road, Merced, CA 95343.

III. POLICIES §668.49(b):

A. SAFETY POLICIES §668.49(b)(4):

All student housing policies are described in the UC Merced Student Housing Handbook which is given to every resident upon check-in and available on the website at:

<http://housing.ucmerced.edu/housing-handbook>.

Use of Electrical Appliances:

Electrical Safety AP 12: UCM Student Housing Handbook Page 15

Only UL approved items are permitted in Housing & Residence Life. Residents must use power-strips with surge-protectors. All extension cords must be heavy duty, single plug, and be UL approved. Altering or adapting electrical outlets and equipment and overloading circuits jeopardize human safety and thus are not permitted. Cords must be used in a safe manner and should never be covered by rugs, stretched across the main walking path of a floor causing a trip hazard.

Appliances AP 03: UCM Student Housing Handbook Page 12

For safety and sanitation reasons, the use and storage of electrical cooking appliances is not permitted in the residence halls. One Energy Star rated Micro-fridge no larger than 4.2 cubic feet, or one microwave oven operating at no more than 900 watts and one compact refrigerator not to exceed 4.2 cubic feet. Specific examples of non-permitted appliances include, but are not limited to, toasters, electric grills, toaster ovens, hot plates, rice cookers, hot water kettles space heaters and coffee pots (including auto shut-off) or questions regarding appliances. For questions regarding appliances, please contact your Residence Life Coordinator.

Smoking:

Smoking BP 15: UCM Student Housing Handbook Page 21

Smoking and the use of tobacco products are prohibited inside and outside Housing & Residence Life-owned, leased, or operated properties. This policy prohibits all tobacco products such as smoking, chewing and dipping products and restricts cigars, cigarettes, shisha pipes, pipes, water pipes (hookahs), electronic cigarettes, electronic hookah pens and vaporizers, and all forms of smokeless tobacco such as chew, snus, snuff, sticks, strips and orbs. The sale and advertising of tobacco products are also prohibited in Housing & Residence Life-owned, leased, or operated properties except for advertising in non-university newspapers, magazines, or other written materials sold, bought or distributed on campus.

Open Flames:

Fire Safety BP 08: UCM Student Housing Handbook Page 19

Residents are expected to be aware of fire safety at all times. All fire safety violations are considered very serious and may result in Contract termination. The tampering with or misuse of any fire equipment or fire alarm, including activation of the fire alarm in a nonemergency situation, could result in a \$1000 fine and/or jail time.

- Tampering with fire detection or safety equipment including disabling smoke detectors, falsely activating the fire alarm pull stations, misusing fire extinguishers and elevators is prohibited.
- Hanging anything from the fire sprinkler heads located in the ceilings of the residence halls is prohibited.
- Anytime a fire alarm sounds, everyone must evacuate the premises and report to your assigned meeting area immediately and may not re-enter until approved by a university official.
- The use of candles, incense, fireworks, smoke/fog machines, hookah or other flame producing devices is strictly prohibited.
- The storage of flammable explosives such as propane tanks, gas cans, lighter fluid, etc. is not permitted in the residence halls or adjacent areas.
 - f. Grills may not be stored or used in the residence halls. Charcoal grills are available to residents in the courtyard near the Dining Center and a gas grill in The Summits.

Fire Safety

Furniture AP 14: UCM Student Housing Handbook Page 16

Each resident is provided a bed, desk, chair, drawers, closet space, and window coverings. Suite living room furniture is the shared responsibility of suitemates and is furnished with soft seating, a table, and chairs. All university furniture must remain in the assigned room/suite/lounge and is the responsibility of the resident(s). Waterbeds are not permitted. All other personal furniture brought into Housing & Residence Life must be made of fire retardant material and must be removed at the conclusion of the contract term. A charge will be assessed for missing or damaged furniture or any personal furniture left behind. Special needs accommodations will be determined in conjunction with Disability Services.

Decorating and Personalizing your Room/Suite AP 11: UCM Student Housing Handbook Page 14

We encourage students to decorate and personalize their space and ask that you select materials that will not cause permanent damage to the property. When decorating your room please review and abide by the following guidelines:

- a. Facilities staff assumes responsibility for painting, and therefore, residents are not allowed to paint their rooms.
- b. When selecting your decorating materials please use adhesives that are designed to be removed without residue such as painters tape, non-oil based wall putty, small picture hooks or nails no larger than #18, and tension rods. Some examples of unacceptable materials include, but are not limited to, double-sided tape, large nails and screws.
- c. Posting on windows and/or bedroom walls that creates a hostile and intimidating living environment are not permitted.
- d. Any personal furniture must be made of fire retardant materials and must be agreed upon by all roommates/suitemates.
- e. Small synthetic plants or trees are permitted whereas a live plant or tree is permitted in a room with the approval of all room/suitemates. In order for a resident to have a faux tree, it must be a flame retardant synthetic tree. Live trees must follow the local fire ordinance and be treated with fire retardant. The disposal of plants/trees is the responsibility of suitemates, and should be completed prior to winter break and spring closing; failure to do so will result in a monetary fee.
- f. The usage of exterior lighting is permitted as long as the item is UL approved. Extension cords used outdoors must be heavy duty and exterior use rated. Exterior lighting may not be strung from building to building or across walkways. Exterior lights may only be hung at arm's reach; residents are prohibited from using ladders, chairs, or other apparatus that may increase your height. All electric lights used inside the suites must be UL approved. The hanging of anything from fire devices (including sprinkler heads) is strictly prohibited. The display of lights inside or outside should not be strung or placed in a manner that could be considered a trip hazard.

HIGHER EDUCATION OPPORTUNITY ACT ANNUAL FIRE SAFETY REPORT

- g. The use of candles, incense, or other flame producing devices is strictly prohibited. LED candles and flameless candles are permitted.
- h. The usage of artificial snow on windows may be permitted if the person places a sheet of plastic cling wrap on the glass prior to applying the snow. Artificial snow should be removed before an extended period of time. All room/suite mates assume responsible for any related damages.

Feel free to consult with your Resident Assistant and/or Housing & Residence Life staff if you have any questions about acceptable materials.

Propping Doors BP 13: UCM Student Housing Handbook, page 21

Propping doors, tampering with door locking mechanisms, unhinging hydraulic door closures, or engaging the deadbolt so as to prop open a door inhibits fire safety protections and jeopardizes the safety of community members and their property. Staff will close and lock all propped doors. Please take the initiative to properly close all propped doors and report any repeated occurrences to the Housing & Residence Life Office.

Bicycles and Motorized Vehicles AP 05: UCM Student Housing Handbook, page 13

Bicycles and motorized bikes must be stored outside of the buildings using the bike racks provided throughout the community or the Bike Barn located outside Half Dome. For safety reasons, do not store bikes on railings, near doorways, under stairs, or anywhere that may impede the safe egress of individuals during a fire. For safety reasons, please walk bicycles and skateboards through the courtyards and sidewalks in housing. Bicycles may only be stored indoors during extended breaks and must be stored out of the path of egress

All bicycles and motorized vehicles must be removed from the bike racks and/or Bike Barn immediately following the conclusion of the spring semester. All bicycles and motorized vehicles bikes found in the bike racks and/or Bike Barn after spring closing will be given to the Department of Public Safety for storage and eventually disposal.

The usage of bicycles, motorized vehicles, scooters, hover boards, drones and skateboards inside any Housing and Residential Life-owned, leased, or operated properties is prohibited. Drones are also prohibited in the courtyards and sidewalks in and around housing. The possession of hover boards and associated charging devices are prohibited

IV. FIRE EVACUATION PROCEDURES §668.49(b)(5):

Residents are required to evacuate the building whenever a fire alarm sounds. The residence halls' fire alarm systems consist of smoke detectors, a sprinkler system and manual pull stations. Upon hearing the fire alarm, residents must verify everyone is out of the room/suite. Leave the room/suite and close and lock the door behind you. Move to the evacuation site for your building and follow the instruction of housing staff and emergency personnel. Do not return to the room until instructed to do so by housing staff, fire department or police department. Residents are expected to not tamper with any fire equipment, including smoke detectors and sprinkler systems.

Emergency procedures and evacuation maps are posted on the back of each bedroom/suite door and at various locations within the buildings with common space

HIGHER EDUCATION OPPORTUNITY ACT ANNUAL FIRE SAFETY REPORT

Evacuation Assistance Locations (Area of Refuge)

The Summits: Tenaya Hall and Cathedral Hall have evacuation assistance locations (Area of Refuge) for persons that may have difficulty evacuating the building. The locations are identified with signage and shown on the emergency evacuation map posted in each bedroom. They are identified as “Area of Refuge”.

Mass Notification

In the Summits, Tenaya Hall, Cathedral Hall and Half Dome Hall, there is an In-Building Mass Notification System (campus wide and individual paging system). This system is used to notify the campus of an emergency situation that may require specific instructions and could be used during a severe weather event, natural disaster, or other emergency event. Colored strobe lights will flash and a pre-tone will sound pending an announcement. Do not evacuate the building unless instructed to do so. Remain in your location and listen for further instruction. Strategically placed blue light emergency phones are capable of amplified announcements in conjunction with the Mass Notification System.

BUILDING EVACUATION SITES

BUILDING	EVACUATION AREA
SIERRA TERRACES	
Mariposa Hall	Gallo Rec and Wellness Building
Tuolumne Hall	Gallo Rec and Wellness Building
THE SUMMITS	
Cathedral Hall	Lake Lot
Half Dome Hall	Lake Lot
Tenaya Hall	Lake Lot
VALLEY TERRACES	
Calaveras Hall	Lake Lot
Fresno Hall	Lake Lot
Kern Hall	Lake Lot
Kings Hall	Lake Lot
Madera Hall	Lake Lot
Merced Hall	Lake Lot
San Joaquin Hall	Lake Lot
Stanislaus Hall	Lake Lot
Tulare Hall	Lake Lot

Additional information on emergency response procedures can be found at
<http://police.ucmerced.edu/safety-information>

HIGHER EDUCATION OPPORTUNITY ACT ANNUAL FIRE SAFETY REPORT

Evacuation Maps

Evacuation maps are located on or near the doors of each bedroom in Sierra Terraces and The Summits. In Valley Terraces, evacuation maps are located on or near the exterior exit door of the suite. In Sierra Terraces and The Summits, evacuation maps are also provided in exit corridors, at elevator locations, in or at the stairwells, and at all building entrances.

V. FIRE SAFETY EDUCATION TRAINING §668.49(b)(6):

Resident Advisors, Senior Resident Advisors, and Resident Life Coordinators are given annual training on emergency evacuation procedures and the use of fire extinguishers.

VI. FIRE SAFETY SYSTEMS §668.49(b)(2):

UC MERCED STUDENT HOUSING FACILITY FIRE SAFETY SYSTEMS

Residential Facilities	In-Building Mass Notification System	Fire Sprinkler			Fire Alarm System		Fire Separation	
		Full	Partial	Smoke	Manual Pull	Notification Device (audible/visual)	Corridor	Room
SIERRA TERRACES								
Mariposa Hall		X		X	X	X	X	X
Tuolumne Hall		X		X	X	X	X	X
THE SUMMITS								
Cathedral Hall	X	X		X	X	X	X	X
Half Dome	X	X		X	X	X	X	X
Tenaya Hall	X	X		X	X	X	X	X
VALLEY TERRACES								
Calaveras Hall		X		X	X	X	N/A	X
Fresno Hall		X		X	X	X	N/A	X
Kern Hall		X		X	X	X	N/A	X
Kings Hall		X		X	X	X	N/A	X
Madera Hall		X		X	X	X	N/A	X
Merced Hall		X		X	X	X	N/A	X
San Joaquin Hall		X		X	X	X	N/A	X
Stanislaus Hall		X		X	X	X	N/A	X
Tulare Hall		X		X	X	X	N/A	X

SIERRA TERRACES (Mariposa and Tuolumne Halls): Sierra Terraces is comprised of 2 separate buildings with individual rooms exiting into a fire rated corridor. The buildings are protected by a NFPA 13 fire sprinkler system, complete smoke detection in the bedrooms and throughout other areas, visual and audible notification devices, and manual pull stations. The smoke detectors in the bedrooms will sound a local alarm in the room only, and transmit an electronic signal to campus dispatch and a fire alarm monitoring company. All other fire protection notification devices will cause the entire audible and visual notification devices to activate in the building. Designated bedrooms are equipped with visual notification devices for the hearing impaired. A fire alarm annunciator panel is located in the lobby on the first floor.

HIGHER EDUCATION OPPORTUNITY ACT ANNUAL FIRE SAFETY REPORT

THE SUMMITS (Tenaya, Cathedral and Half Dome Halls): The Summits are two separate 4-story buildings and one 5 story building. Bedrooms exit into fire-rated exit corridors. The buildings are protected by a NFPA 13 fire sprinkler system, smoke detection system (in bedrooms and throughout other areas), visual and audible notification devices, and manual pull stations. The smoke detectors in the bedrooms will sound a local alarm in the room only, and transmit an electronic signal to campus dispatch and a fire alarm monitoring company. All other fire protection notification devices will cause the entire audible and visual notification to activate in the building. Designated bedrooms are equipped with visual notification devices for the hearing impaired. The smoke detectors in rooms designated for the hearing impaired will activate the entire building fire alarm system in Cathedral and Tenaya Halls. The smoke alarm in rooms for the hearing impaired in Half Dome will sound in the room only, with a signal at the fire alarm control panel, campus dispatch and a fire alarm monitoring company. The fire alarm annunciator panel is located in the lobby on the first floor of each building.

VALLEY TERRACES (Calaveras, Fresno, Kern, Kings, Madera, Merced, San Joaquin, Stanislaus, Tulare Halls): Valley Terraces are a complex of nine (9) separate buildings comprised of suites of rooms. Each suite has a direct exit to the exterior. The bedrooms exit into a hallway and/or the living area of the suite, except for studio room which has an exit directly to the exterior. Each building is protected with a NFPA 13R fire sprinkler system. Each suite has smoke detection in the bedrooms and living areas. Each building has one manual pull station on the exterior ground level adjacent to the fire sprinkler riser. There are audible alarms in every suite and at the exterior of the building. Visual notification devices are installed in rooms designed for hearing impaired residents. Any activation of a smoke detector, fire sprinkler water flow, or manual pull station will activate the audible and visual notification devices throughout the building.

An In-Building Mass Notification System is also installed in The Summits; Cathedral Hall, Tenaya Hall, and Half Dome Hall. Speakers in each bedroom and throughout the building provide a method for delivering important messages to the residents. Colored strobe lights are installed to provide notification for the hearing impaired.

An Area of Refuge is located on the 2nd, 3rd and 4th floors in the enclosed stairwell landings for mobility impaired persons needing evacuation assistance in Cathedral and Tenaya Halls. The stairwells provide a 2-hour fire rated separation. At these locations are 2-way communication capabilities to campus dispatch where a person can request evacuation assistance in the event of an emergency. There is no Area of Refuge in Half Dome Hall.

All Housing building fire alarm systems report signals to campus Public Safety Dispatch, an off-site Central Station fire alarm monitoring company, UC Merced Central Plant, and to the in-building fire alarm control panel in the Housing offices located in the Terrace Center, Tenaya Hall, and Stanislaus Hall. There are annunciator panels in the lobbies of Cathedral, Tenaya, Half Dome, Mariposa & Tuolumne Halls. The fire alarms are monitored 24 hours.

Fire Separations

Corridor: Fire-Rated walls in corridors generally have a one-hour fire rating, are located between the corridor and occupied spaces (i.e. Sleeping Rooms), and are designed to prevent the passage of fire and smoke into the corridor to allow for safe passage. The corridor is a protected environment permitting building occupants the

HIGHER EDUCATION OPPORTUNITY ACT ANNUAL FIRE SAFETY REPORT

ability to safely escape the building should a fire occur.

Room: Fire-rated walls in rooms generally have a one-hour fire rating, surround the room, except the exterior wall, and are designed to prevent the passage of fire and smoke between the room and adjacent spaces for a period of time.

VII. DRILLS §668.49(b) (3):

One drill per building, initiated and witnessed by the Campus Fire Marshal and / or Fire and Building Safety staff was held within one (1) week of student move in at the beginning of the school year in August 2016. The drills were unannounced to the students and occurred at random times and days. All building occupants at the time of the drill were required to participate. The building fire alarm was activated and active assistance was given by the Resident Advisors who inform the occupants that there is a drill and they must evacuate. Students were directed to the Evacuation Assembly Area and allowed to return to the building when the “all clear” was given by the Resident Advisors.

VIII. REPORTING LIST §668.49(b) (7):

Emergency Phone Numbers

From a Campus Phone: **9-9-1-1**

From a Cell Phone: **9-1-1 or (209) 228-2677**

IX. FUTURE IMPROVEMENTS §668.49(b) (8):

Description of Improvements	Status	Building Name	Building Type
Implementation of a plan to reduce the number of nuisance alarms	Replacement of all smoke alarms in all Valley Terrace Halls by 2016 Completed (2016)	Calaveras, Fresno, Kern Kings Madera, Merced, San Joaquin, Stanislaus, Tulare Halls	Residential Units

X. STATISTICS §668.49(c):

The institution must report statistics for each on campus student housing facility for the three most recent calendar years which data are available. For UC Merced, the information is obtained from the UC Merced Department of Public Safety, Cal Fire/Merced County Fire Department and the Campus Fire Marshal, which will provide the data based on the previously mentioned definitions.

The required statistics are:

- Number of fires
- Cause of each fire
- Number of injuries
- Number of deaths
- Value of property damage

There were no reportable fires, injuries, or deaths in any housing unit for 2015, 2014, 2013, 2012, 2011, and 2010.

HIGHER EDUCATION OPPORTUNITY ACT ANNUAL FIRE SAFETY REPORT

Fires	Incident Number	Cause	Injuries	Deaths	Property Damage
Tenaya Hall Marketplace Breezeway	UCPD 16-58 CalFire 16-3119	Propane Heater	0	0	\$2100.00
Calaveras Hall Room 160	UCPD 16-235 CalFire 16-17503	Camp Stove Fuel	0	0	\$951.00

XI. FIRE LOG §668.49(d):

The following must be logged:

- ✓ Must be for the most recent 60-day period
- ✓ Open to the public
- ✓ Contain the following: Date and Time the fire was reported; Nature of the fire; General location of the fire.

The Fire Log for UC Merced is maintained by the Campus Public Safety Department and is available for viewing by request in their office. There were two reportable fires in or around housing units in 2016

FIRE LOG for UC Merced

Date	Time	Location	Nature of Fire
02/17/2016	22:37	Tenaya Hall	Propane Heater
09/1/2016	21:27	Calaveras Hall	Camp Stove Fuel

XII. DISCLOSURE OF INFORMATION

FIRE LOG §668.49(d):

- Must maintain a written, easily understood fire log.
- Must make an entry or an addition to an entry within 2 business days of receipt of information
- Must make the fire log for the most recent 60-day period open to public inspection during normal business hours, and older logs available within 2 business days of request.
- Must be reported to the campus community on an annual basis through the annual fire safety report statistics log.

ANNUAL FIRE STATISTICS REPORT §668.41(e)(5):

- Each year, by the date and in a form specified by the Secretary, an institution must submit the statistics required by §668.46(c) and §668.49(c) to the Secretary.
- Will include: number of fires and the cause of each fire; number of injuries related to a fire that required treatment; number of deaths related to a fire; value of property damage caused by the fire.

HIGHER EDUCATION OPPORTUNITY ACT ANNUAL FIRE SAFETY REPORT

ANNUAL FIRE SAFETY REPORT §668.41:

- Must be distributed to enrolled students through appropriate publications and mailings or internet or intranet web sites
- Must be distributed in brief form to current employees through notice of exact electronic address for internet or intranet web sites with a statement that paper copies of full report available upon request.
- Must provide a notice to prospective students or prospective employees of the availability of the report, a description of the report contents and an opportunity to request a copy. The notice must also include the exact electronic address if the report is posted on an internet web site, and also include a statement that paper copies of full report are available upon request.
- Will include: fire statistics as described previously; description of each on-campus student housing facility fire safety system, the number of fire drills held during the previous calendar year; the institutions policies or rules on portable electrical appliances, smoking, open flame in student housing facilities; the institutions procedures for student housing evacuation in case of a fire; policies regarding fire safety education and training programs provided to the students, faculty, and staff; a list of the titles of each person or organization to which students and employees should report that a fire occurred; plans for future safety improvements.

ACCESS TO ANNUAL SECURITY REPORT §668.41(6)

- If the Annual Fire Safety report is published independently of the Annual Security Report, it must include information in each of the two reports about how to directly access the other report.
- The Annual Security Report titled “Safety Matters” can be found on the UC Merced Department of Public Safety website: <http://police.ucmerced.edu/safety-information/clery-act-statistics-publications>
- For written copies, please contact the UC Merced Department of Public Safety at (209) 228-8273.